

	Type	L #	Hits	Search Text	DBs
1	IS&R	L1	25623 5	(382/128,129,130,131,132,133,134).CCLS. or (("600") or ("378") or ("128") or ("250")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	23833	1 and extract\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	6	2 and (spine near4 center)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	4	3 and (2D or two- dimension\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	1	4 and rectangular\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	2	rectangular\$4-Band	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	1	4 and ((rectangular\$4 or square or foursquare or angl\$4 oe oblong or orthogonal) near4 (band))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	1	4 and ((rectangular\$4 or square or foursquare or angl\$4 or oblong or orthogonal) near4 (band))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	L1	67023	(382/128,129,130,131,132,133,134).CCLS. or (( "780" ) or ( "600" ) or ( "128" ) ).CLAS.	USPA T	2004/09/29 17:23	
2	BRS	L2	33345	1 and ( comput\$4 or measur\$6 or calculat\$4)	USPA T	2004/09/29 19:29	
3	BRS	L3	7492	2 and segment\$6	USPA T	2004/09/29 18:16	
4	BRS	L4	2243	3 and ray\$4	USPA T	2004/09/29 17:32	
5	BRS	L5	79	4 and multidimensional	USPA T	2004/09/29 19:29	
6	BRS	L8	52	5 and intensit\$4	USPA T	2004/09/29 18:08	
7	BRS	L9	51	8 and (processor or computer or CPU or pc)	USPA T	2004/09/29 17:33	
8	BRS	L11	46	9 and (digital)	USPA T	2004/09/29 19:32	
9	BRS	L12	38	11 and ( array)	USPA T	2004/09/29 17:29	
10	BRS	L13	26	12 and edg\$4	USPA T	2004/09/29 18:17	
11	BRS	L14	119	edg\$4 near4 metric	USPA T	2004/09/29 17:32	
12	BRS	L15	35	14 and segment\$6	USPA T	2004/09/29 17:32	
13	BRS	L16	6	15 and ray\$4	USPA T	2004/09/29 18:08	
14	BRS	L17	6	16 and ( comput\$4 or measur\$6 or calculat\$4)	USPA T	2004/09/29 17:33	
15	BRS	L18	5	17 and (processor or computer or CPU or pc)	USPA T	2004/09/29 18:16	
16	BRS	L19	3	18 and intensit\$4	USPA T	2004/09/29 19:28	
17	BRS	L20	3	19 and edg\$4	USPA T	2004/09/29 17:37	
18	BRS	L21	3	20 and metric\$4	USPA T	2004/09/29 17:36	
19	BRS	L22	0	21 and multidimensional	USPA T	2004/09/29 17:36	
20	BRS	L23	2	21 and dimension\$5	USPA T	2004/09/29 17:37	
21	BRS	L24	1	23 and (edg\$4 near4 point\$4)	USPA T	2004/09/29 18:17	
22	BRS	L25	0	24 and labl\$4	USPA T	2004/09/29 17:38	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
23	BRS	L26	1	24 and identif\$4	USPA T	2004/09/29 19:31	
24	BRS	L27	1	26 and vector\$4	USPA T	2004/09/29 17:42	
25	BRS	L28	1	27 and extreme	USPA T	2004/09/29 18:08	
26	BRS	L30	47294	((edg\$4 near3 point\$4))	USPA T	2004/09/29 18:08	
27	BRS	L32	179	((label\$6) near4 (edg\$4 near3 point\$4))	USPA T	2004/09/29 18:07	
28	BRS	L33	38	32 and ray\$4	USPA T	2004/09/29 18:09	
29	BRS	L34	6	33 and extreme	USPA T	2004/09/29 18:11	
30	BRS	L35	2	34 and intensit\$4	USPA T	2004/09/29 18:09	
31	BRS	L36	2	35 and ((edg\$4 near3 point\$4))	USPA T	2004/09/29 19:27	
32	BRS	L37	9	32 and (x-ray\$4)	USPA T	2004/09/29 19:21	
33	BRS	L38	4	37 and intensit\$4	USPA T	2004/09/29 18:16	
34	BRS	L39	4	38 and ((edg\$4 near3 point\$4))	USPA T	2004/09/29 18:10	
35	BRS	L41	4	39 and adjacent\$4	USPA T	2004/09/29 19:31	
36	BRS	L43	1	42 and extreme	USPA T	2004/09/29 18:12	
37	BRS	L44	17	1 and (intensit\$4 near4 extreme)	USPA T	2004/09/29 18:16	
38	BRS	L45	12	44 and segment\$6	USPA T	2004/09/29 18:16	
39	BRS	L46	8	45 and (processor or computer or CPU or pc)	USPA T	2004/09/29 18:17	
40	BRS	L47	6	46 and identif\$4	USPA T	2004/09/29 18:17	
41	BRS	L48	5	47 and edg\$4	USPA T	2004/09/29 19:28	
42	BRS	L49	1	48 and (edg\$4 near4 point\$4)	USPA T	2004/09/29 18:17	
43	BRS	L52	0	49 and metric\$4	USPA T	2004/09/29 19:31	
44	BRS	L42	4	41 and (label\$4 near4 point\$4)	USPA T	2004/09/29 19:19	
45	BRS	L53	0	32 and (unlabel\$4 near4 adjacent\$4)	USPA T	2004/09/29 19:21	
46	BRS	L55	0	54 and (x-ray\$4)	USPA T	2004/09/29 19:28	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
47	BRS	L54	3	32 and (unlabel\$4 near4 point\$5)	USPA T	2004/09/2 9 19:25	
48	BRS	L56	0	1 and ((segment\$4 ) near4 (small near3 featur\$4))	USPA T	2004/09/2 9 19:27	
49	BRS	L57	20	((segment\$4 ) near4 (small near3 featur\$4))	USPA T	2004/09/2 9 19:27	
50	BRS	L58	3	57 and ((edg\$4 near3 point\$4))	USPA T	2004/09/2 9 19:29	
51	BRS	L59	198	1 and ((segment\$4 ) near4 (featur\$4))	USPA T	2004/09/2 9 19:28	
52	BRS	L60	12	59 and ((edg\$4 near3 point\$4))	USPA T	2004/09/2 9 19:28	
53	BRS	L61	10	60 and intensit\$4	USPA T	2004/09/2 9 19:28	
54	BRS	L62	6	61 and (x-ray\$4)	USPA T	2004/09/2 9 19:28	
55	BRS	L63	6	62 and edg\$4	USPA T	2004/09/2 9 19:28	
56	BRS	L64	6	63 and ((edg\$4 near3 point\$4))	USPA T	2004/09/2 9 19:29	
57	BRS	L65	35729 0	"65". and ( comput\$4 or measur\$6 or calculat\$4)	USPA T	2004/09/2 9 19:29	
58	BRS	L67	0	66 and multidimensional	USPA T	2004/09/2 9 19:30	
59	BRS	L66	6	64 and ( comput\$4 or measur\$6 or calculat\$4)	USPA T	2004/09/2 9 19:30	
60	BRS	L68	3	66 and metric\$4	USPA T	2004/09/2 9 19:31	
61	BRS	L70	1	69 and adjacent\$4	USPA T	2004/09/2 9 19:31	
62	BRS	L71	1	70 and (digital)	USPA T	2004/09/2 9 19:32	
63	BRS	L69	3	68 and identif\$4	USPA T	2004/09/2 9 19:37	
64	BRS	L73	0	1 and 72	USPA T	2004/09/2 9 19:38	
65	BRS	L72	25	((comput\$5 or calculat\$4 or measur\$4) near3 ( edg\$4 near3 metric\$4))	USPA T	2004/09/2 9 19:38	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	L1	67023	(382/128,129,130,131,132,133,134).CCLS. or (("780") or ("600")) or ("128")).CLAS.	USPA T	2004/09/2 9 17:23	
2	BRS	L2	33345	1 and ( comput\$4 or measur\$6 or calculat\$4)	USPA T	2004/09/2 9 17:33	
3	BRS	L3	7492	2 and segment\$6	USPA T	2004/09/2 9 18:16	
4	BRS	L4	2243	3 and ray\$4	USPA T	2004/09/2 9 17:32	
5	BRS	L5	79	4 and multidimensional	USPA T	2004/09/2 9 17:36	
6	BRS	L8	52	5 and intensit\$4	USPA T	2004/09/2 9 18:08	
7	BRS	L9	51	8 and (processor or computer or CPU or pc)	USPA T	2004/09/2 9 17:33	
8	BRS	L11	46	9 and (digital)	USPA T	2004/09/2 9 18:18	
9	BRS	L12	38	11 and ( array)	USPA T	2004/09/2 9 17:29	
10	BRS	L13	26	12 and edg\$4	USPA T	2004/09/2 9 18:17	
11	BRS	L14	119	edg\$4 near4 metric	USPA T	2004/09/2 9 17:32	
12	BRS	L15	35	14 and segment\$6	USPA T	2004/09/2 9 17:32	
13	BRS	L16	6	15 and ray\$4	USPA T	2004/09/2 9 18:08	
14	BRS	L17	6	16 and ( comput\$4 or measur\$6 or calculat\$4)	USPA T	2004/09/2 9 17:33	
15	BRS	L18	5	17 and (processor or computer or CPU or pc)	USPA T	2004/09/2 9 18:16	
16	BRS	L19	3	18 and intensit\$4	USPA T	2004/09/2 9 17:33	
17	BRS	L20	3	19 and edg\$4	USPA T	2004/09/2 9 17:37	
18	BRS	L21	3	20 and metric\$4	USPA T	2004/09/2 9 17:36	
19	BRS	L22	0	21 and multidimensional	USPA T	2004/09/2 9 17:36	
20	BRS	L23	2	21 and dimension\$5	USPA T	2004/09/2 9 17:37	
21	BRS	L24	1	23 and (edg\$4 near4 point\$4)	USPA T	2004/09/2 9 18:17	
22	BRS	L25	0	24 and labl\$4	USPA T	2004/09/2 9 17:38	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
23	BRS	L26	1	24 and identif\$4	USPA T	2004/09/2 9 18:17	
24	BRS	L27	1	26 and vector\$4	USPA T	2004/09/2 9 17:42	
25	BRS	L28	1	27 and extreme	USPA T	2004/09/2 9 18:08	
26	BRS	L30	47294	((edg\$4 near3 point\$4))	USPA T	2004/09/2 9 18:08	
27	BRS	L32	179	((label\$6) near4 (edg\$4 near3 point\$4))	USPA T	2004/09/2 9 18:07	
28	BRS	L33	38	32 and ray\$4	USPA T	2004/09/2 9 18:09	
29	BRS	L34	6	33 and extreme	USPA T	2004/09/2 9 18:11	
30	BRS	L35	2	34 and intensit\$4	USPA T	2004/09/2 9 18:09	
31	BRS	L36	2	35 and ((edg\$4 near3 point\$4))	USPA T	2004/09/2 9 18:09	
32	BRS	L37	9	32 and (x-ray\$4)	USPA T	2004/09/2 9 18:18	
33	BRS	L38	4	37 and intensit\$4	USPA T	2004/09/2 9 18:16	
34	BRS	L39	4	38 and ((edg\$4 near3 point\$4))	USPA T	2004/09/2 9 18:10	
35	BRS	L41	4	39 and adjacent\$4	USPA T	2004/09/2 9 18:11	
36	BRS	L42	4	41 and (label\$4 near4 point\$4)	USPA T	2004/09/2 9 18:11	
37	BRS	L43	1	42 and extreme	USPA T	2004/09/2 9 18:12	
38	BRS	L44	17	1 and (intensit\$4 near4 extreme)	USPA T	2004/09/2 9 18:16	
39	BRS	L45	12	44 and segment\$6	USPA T	2004/09/2 9 18:16	
40	BRS	L46	8	45 and (processor or computer or CPU or pc)	USPA T	2004/09/2 9 18:17	
41	BRS	L47	6	46 and identif\$4	USPA T	2004/09/2 9 18:17	
42	BRS	L48	5	47 and edg\$4	USPA T	2004/09/2 9 18:17	
43	BRS	L49	1	48 and (edg\$4 near4 point\$4)	USPA T	2004/09/2 9 18:17	
44	BRS	L52	0	49 and metric\$4	USPA T	2004/09/2 9 18:19	

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6577752").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 13:34
L2	1	1 and metric\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:38
L3	1	2 and (edg\$4 or border\$4 or bounadry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:37
L4	1	3 and (calculat\$4 or comput\$4 or measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:38
L5	0	4 and intensit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 13:40
L6	1	4 and pixel\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 13:39
L7	613	((edg\$4 or border\$4 or bounadry) near4 (metric\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:22
L8	368	7 and (calculat\$4 or comput\$4 or measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 13:39

L9	113	8 and pixel\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 13:40
L10	68	9 and intensit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:18
L11	65	10 and (maximum or high\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:05
L12	18	11 and ray\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 13:48
L13	9	11 and (x-ray\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:10
L14	9	13 and dimension\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:12
L15	91	((comput\$4 or calculat\$4 or measur\$5) near4 (edg\$4 or border\$4 or bounadry) near4 (metric\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:31
L16	36	15 and pixel\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:05



L17	1	16 and ((maximum or high\$4 or extreme) near4 (intensit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:58
L18	6	16 and ((maximum or high\$4 or extreme) same (intensit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:06
L19	137	7 and ((edg\$4 or border\$4 or bounadry) near4 (point\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:11
L20	27	19 and label\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:13
L21	3	20 and (x-ray\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:12
L22	7000	pixel\$ and ((edg\$4 or border\$4 or bounadry) near4 (point\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:34
L23	2032	22 and label\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:12
L24	221	23 and (x-ray\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:30

L25	210	24 and dimension\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:12
L26	0	25 and (label\$4 near2 pont\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:13
L27	26	25 and (label\$4 near2 point\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:15
L28	1	27 and (unlabel\$4 near2 point\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:29
L29	1	27 and (unlabel\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:14
L30	11	27 and intensit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:39
L31	11	30 and (edg\$4 or border\$4 or bounadry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:22
L32	1	30 and ((edg\$4 or border\$4 or bounadry) near4 (metric\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:35

L33	1	31 and (metric\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:23
L34	29	(label\$4 near2 point\$4) and (unlabel\$4 near2 point\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:33
L35	2	34 and (x-ray\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:17
L36	124	(label\$4 near2 point\$4) and (unlabel\$4) and intensit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:33
L37	49	36 and (x-ray\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:33
L38	2	37 and ((edg\$4 or border\$4 or bounadry) near4 (point\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:34
L39	1	37 and ((edg\$4 or border\$4 or bounadry) near4 (metric\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:35
L40	22	37 and ((edg\$4 or border\$4 or bounadry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:35

L41	11	30 and points	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:40
L42	11	30 and point\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:40
L43	6	42 and magnitud\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:41
L44	5	43 and vector\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:41
L45	2	44 and toleranc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:45
L46	5	44 and edg\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:00
L47	5	46 and segment\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:01
L48	5	47 and distanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:06

L49	9	14 and (memor\$4 or storag\$4 or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:18
L50	9	49 and (computer or processor or CPU or PC )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:18
L51	218	((comput\$4 or calculat\$4 or measur\$5) same (edg\$4 or border\$4 or bounadry) near4 (metric\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:16
L52	218	((comput\$4 or calculat\$4 or measur\$5) same (edg\$4 or border\$4 or bounadry) near4 (metric\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:16
L53	8	52 and (x-ray\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:32
L54	8	53 and intensit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:49
L55	6	54 and (computer or processor or CPU or PC )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:30
L56	6	55 and (memor\$4 or storag\$4 or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:30

L57	0	("((segment\$5ordivid\$4)near4(featur\$4orimag\$4)andpixel\$4and(intensit\$4near4valu\$4)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:28
L58	3295	(segment\$4 or divid\$4) near4 (featur\$4 or imag\$4 or pictur\$4) and pixel\$4 and (intensit\$4 near3 valu\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:29
L59	2983	58 and (computer or processor or CPU or PC )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:48
L60	2640	59 and (memor\$4 or storag\$4 or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:48
L61	2	60 and (((comput\$4 or calculat\$4 or measur\$5) near4 (edg\$4 or border\$4 or bounadry) near4 (metric\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:32
L62	6	60 and (((comput\$4 or calculat\$4 or measur\$5) same (edg\$4 or border\$4 or bounadry) near4 (metric\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:39
L63	1	62 and (x-ray\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:54
L64	13	60 and (((comput\$4 or calculat\$4 or measur\$5) and (edg\$4 or border\$4 or bounadry) near4 (metric\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:46

L65	1	64 and (x-ray\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:35
L66	427	60 and (x-ray\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:49
L67	355	66 and (edg\$4 or border\$4 or bounadry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:37
L68	354	67 and (calculat\$4 or comput\$4 or measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:47
L69	39	68 and metric\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:55
L70	1	69 and (((edg\$4 or border\$4 or bounadry) near4 (metric\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:40
L71	1	68 and (((edg\$4 or border\$4 or bounadry) near4 (metric\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:40
L72	1	66 and (((edg\$4 or border\$4 or bounadry) near4 (metric\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:41

L73	13	60 and (((edg\$4 or border\$4 or bounadry) near4 (metric\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:41
L74	13	60 and (comput\$4 or calculat\$4 or measur\$5) and (edg\$4 or border\$4 or bounadry) near4 (metric\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:47
L75	352	68 and (edg\$4 nea43 point\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:47
L76	38	68 and (edg\$4 near3 point\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:53
L77	38	76 and (x-ray\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:54
L78	8	77 and metric\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:55
L79	577	(edg\$4 near4 metric\$4) and (edg\$4 nea43 point\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:51
L80	336	79 and (calculat\$4 or comput\$4 or measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:57



L81	217	80 and (computer or processor or CPU or PC )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:53
L82	192	81 and (memor\$4 or storag\$4 or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:53
L83	58	82 and intensit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:56
L84	11	83 and (x-ray\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:52
L85	118	(edg\$4 near4 metric\$4) and (edg\$4 near3 point\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:56
L86	4	85 and (x-ray\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 18:12
L87	4	86 and (memor\$4 or storag\$4 or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:57
L88	4	87 and (computer or processor or CPU or PC )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:57

L89	799	(edg\$4 same metric\$4) and (edg\$4 near3 point\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:56
L90	126	89 and intensit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:56
L91	106	90 and (computer or processor or CPU or PC )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:57
L92	91	91 and (memor\$4 or storag\$4 or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:57
L93	91	92 and (calculat\$4 or comput\$4 or measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:57
L94	25	93 and ((maximum or high\$4 or extreme) near4 (intensit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 17:59
L95	89	93 and ((maximum or high\$4 or extreme))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 18:11
L96	48	93 and ((maximum or high\$4 or extreme) same (intensit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 18:00

L97	16	95 and (x-ray\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 18:21
L98	18	91 and (x-ray\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 18:21